



# Technical Guidance Material for Dangerous Goods Approved Operators

---

Subject: DANGEROUS GOODS TECHNICAL GUIDANCE MATERIAL FOR DANGEROUS GOODS APPROVED OPERATORS

Date: 15 MAY 2017

## APPLICABILITY

This process is applicable to Dangerous Goods Operators Part 127, Part 135 and Part 121 that are approved to transport dangerous as prescribed in Part 92 of SACAA CARs 2011, as amended, the SACATS DG and the ICAO Technical Instructions for the Safe Transport of DG by Air.

## PURPOSE

This section contains guidance material and procedures to be used by operators which are approved to carry Dangerous Goods as part of their operations and must form part of the operations manual. Nothing in this guidance material prohibits the operator from adding any information in their manuals which they may deem pertinent for safety with regards to Dangerous Goods. Operators should note that this TGM is adapted to suit section 10 of the Flight Operations Manual as per below.

**Note:** Operators should note that this TGM is adapted to suit section 10 of the Flight Operations Manual as per below. Where Dangerous Goods Section of the Manual is not under Section 10, references to the entire manual must be amended according to the Dangerous goods section of the operations manual.

## REFERENCE:

- i. South African Civil Aviation Regulations Part 92.
- ii. ICAO- Annex 18
- iii. ICAO Doc 9284 – Technical Instructions

## 1. DANGEROUS GOODS

**Note 1:** Operators should note that this TGM is adapted to suit section 10 of the Flight Operations Manual. Where Dangerous Goods Section of the Manual is not under Section 10, references to the entire manual must be amended according to the Dangerous goods section of the operations manual

**Note 2:** Editorial notes within the following text indicate where the operator needs to add text to describe their specific operation. The editorial notes must be replaced with the operator's own text before submission to the CAA.

### 1. Policy on the Transport of Dangerous Goods

It is the policy of *{Company name}* to transport Dangerous Goods. Dangerous Goods can only be carried according to the International Civil Aviation Organisation's Technical Instructions for the safe transport of Dangerous Goods by Air (TI) and the SA Civil Aviation Authority regulations Part 92 of 2011, as amended.

### 2. Approval for the Transport of Dangerous Goods (CAR Part 92)

Dangerous goods can only be carried according to the latest International Civil Aviation Organization's Technical Instructions for the Safe Transport of Dangerous Goods by Air (Technical Instructions), irrespective of whether the flight is wholly or partly within or wholly outside the territory of a State. An approval must be granted by the State of the Operator before dangerous goods can be carried on an aircraft, except as identified in 10.1.3 and 10.1.5 below. An additional approval or an exemption may be required to permit the transport of some dangerous goods – see 10.1.2 below.

**Note 1:** *Insert Text* *[Operator Name]* holds an SACAA approval for the transport of dangerous goods by air.

**Note 2:** Should the Operator's policy prohibit the carriage of certain dangerous goods (e.g. radioactive material) these restrictions should be stated.

**Note 3:** *Insert Text* The following [person or post holder] is assigned responsibility for the Approval held:

[Job Title/Name and contact details]

**Note 4:** As queries regarding the carriage of dangerous goods will often be escalated to the nominated person, arrangements need to be established to ensure continuity of supervision in the absence of the person nominated by the operator as having overall responsibility for the transport of dangerous goods by air.

### 3. Forbidden Dangerous Goods (CAR Part 92.00. 2, 92.00.3, Part 11.00.4)

Certain dangerous goods, which are normally forbidden, may be specifically approved for air transport by the State of Origin and the State of the Operator:

- a. to transport dangerous goods forbidden on passenger and/or cargo aircraft where Special Provision A1/A2 applies; or

- b. for other purposes as specified in the ICAO Technical Instructions; provided that in such instances an overall level of safety in transport which is at least equivalent to the level of safety provided for in these Instructions is achieved.

In instances of extreme urgency or when other forms of transport are inappropriate or full compliance with the prescribed requirements is contrary to public interest, the States concerned may grant an exemption from the provisions of the Instructions provided that in such instances an overall level of safety in transport which is at least equivalent to the level of safety provided for in these Instructions is achieved. For the purpose of exemptions, "States concerned" are the States of Origin, Operator, transit, overflight and destination. For the State of overflight, if none of the criteria for granting an exemption are relevant, an exemption may be granted based solely on whether it is believed that an equivalent level of safety in air transport has been achieved.

**Note:** Application for exemptions and approvals should be submitted to the SACAA Dangerous Goods Department at least 14 working days prior to the proposed flight date.

**Dangerous goods carried in accordance with an exemption or approval must comply with the conditions on the exemption or approval.**

**Note 1:** The operator's procedure for ensuring relevant personnel are made aware of the details of short-term approvals and exemptions regarding the dangerous goods (e.g. through the issue of crew notices) should be described. The exemption or approval document copy of the dangerous goods carried under a specific exemption or approval must be carried on board the aircraft.

## 4. General Exceptions

### 4.1. Airworthiness and Operational Items (CAR92.00.1 (1))

An approval is not required for dangerous goods which are required to be aboard the aircraft as:

- a. items for airworthiness or operating reasons or for the health of passengers or crew, such as batteries, fire extinguishers, first-aid kits, insecticides, air fresheners, life rafts, escape slides, life-saving appliances, portable oxygen supplies, tritium signs, smoke hoods, passenger service units;
- b. aerosols, alcoholic beverages, perfumes, colognes, liquefied gas lighters and portable electronic devices containing lithium metal or lithium ion cells or batteries provided that the batteries meet the provisions applicable when carried by passengers and crew) carried aboard an aircraft by the operator for use or sale on the aircraft during the flight or series of flights, but excluding non-refillable gas lighters and those lighters liable to leak when exposed to reduced pressure; and
- c. dry ice intended for use in food and beverage service aboard the aircraft; and
- d. electronic devices such as electronic flight bags, personal entertainment devices, credit card readers, containing lithium metal or lithium ion cells or batteries and spare lithium batteries for such devices carried aboard an aircraft by the operator for use on the aircraft during the flight or series of flights, provided that the batteries meet the provisions applicable to the carriage of portable electronic devices containing lithium or lithium ion cells or batteries by passengers. Spare lithium batteries must be individually protected so as to prevent short circuits when not in use.

**Note 1:** Conditions for the carriage and use of these electronic devices and for the carriage of spare batteries must be provided in the operations manual and/or other appropriate manuals as will enable flight crew, cabin crew and other employees to carry out their responsibilities. Operators should either explain these conditions or specify that spares may not be carried.

**Note:** Dangerous goods intended as replacements for those referred to in 10.1.3.1 a, b and c above may not be carried without the approval referred to in 10.1.1 and unless consigned and accepted for transport in accordance with the ICAO Technical Instructions.

### 4.2. Veterinary Aid (CAR92. 92.00.1 (1))

An approval is not required for dangerous goods which are carried for use in flight as veterinary aid or as a humane killer for an animal. Such dangerous goods must be stowed and secured during take-off and landing and at all other times when

deemed necessary by the pilot-in-command. The dangerous goods must be under the control of trained personnel during the time when they are in use on the aircraft.

Dangerous goods may be carried on a flight made by the same aircraft before or after a flight for which they are required as veterinary aid or as a humane killer for an animal, (e.g. training flights and positioning flights prior to or after maintenance), when it is impracticable to load or unload the dangerous goods immediately before or after the flight, subject to the following conditions:

- a. the dangerous goods must be capable of withstanding the normal conditions of air transport;
- b. the dangerous goods must be appropriately identified (e.g. by marking or labelling);
- c. the dangerous goods may only be carried with the approval of the operator;
- d. the dangerous goods must be inspected for damage or leakage prior to loading;
- e. loading must be supervised by the operator;
- f. the dangerous goods must be stowed and secured in the aircraft in a manner that will prevent any movement in flight which would change their orientation;
- g. the pilot-in-command must be notified of the dangerous goods loaded on board the aircraft and their loading location. In the event of a crew change, this information must be passed to the next crew;
- h. all personnel must be trained commensurate with their responsibilities; and
- i. the provisions of 2.10.4 (Dangerous Goods Accident and Incident Reports) apply.

#### 4.3. Medical Aid for a Patient (CAR92, 92.00.1 (1))

An approval is not required for dangerous goods which:

- a. are placed on board an aircraft with the approval of the operator; or
- b. form part of the permanent equipment of the aircraft when it has been adapted for specialised use, to provide, during flight, medical aid for a patient, such as gas cylinders, drugs, medicines, other medical material (e.g. sterilising wipes) and wet cell or lithium batteries, providing:
  - i. the gas cylinders have been manufactured specifically for the purpose of containing and transporting that particular gas;
  - ii. the drugs and medicines and other medical matter are under the control of trained personnel during the time when they are in use;
  - iii. the equipment containing wet cell batteries is kept, and when necessary secured, in an upright position to prevent spillage of the electrolyte; and
  - iv. proper provision is made to stow and secure all the equipment during take-off and landing and at all other times when deemed necessary by the commander in the interests of safety.

These dangerous goods may also be carried on a flight made by the same aircraft to collect a patient or after that patient has been delivered (e.g. training flights and positioning flights prior to or after maintenance), when it is impracticable to load or unload the goods at the time of the flight on which the patient is carried.

**Note:** The dangerous goods carried may differ from those identified above due to the needs of the patient. These provisions apply both to dedicated air ambulances and to temporarily modified aircraft.

#### 4.4. Instructions on the Carriage of Employees of the Operator (CAR92, 92.00.1 (1))

There is no restriction of the carriage of employees on an aircraft carrying dangerous goods which are permitted on a passenger aircraft, providing the requirements of the Technical Instructions are complied with. When an aircraft is carrying dangerous goods which can only be carried on a cargo aircraft, employees of the operator can also be carried provided they are in an official capacity. It is intended this be interpreted as meaning they have duties concerned with the preparation or undertaking of a flight or on the ground once the aircraft has landed, although not necessarily in connection with an aircraft.

#### 4.5. Items That May Be Carried by Passengers and Crew (CAR92.00.27)

**Note 1:** International standards permit the carriage of the dangerous goods listed below by passengers or crew members either as or in carry-on baggage or checked baggage or on their person. Additional restrictions implemented by countries in the interests of aviation security may, however, limit or forbid the carriage of some of these items.

**Note 2:** Certain items listed are permitted only with the operator's approval. Requirements apply to some items regarding the means by which they are prepared for transport (e.g. wheelchairs and battery-powered mobility devices) or the professional status of the passenger (e.g. Chemical Agent Monitoring Equipment). The operator's policy towards the carriage of items listed as requiring operator's approval should be established. This should include details of how passengers are expected to declare their intention to carry an item, how its proper preparation will be confirmed and how details will be passed to ground handlers (as required). If case-by-case consideration is considered appropriate for items requiring operator approval, the person or role within the operation that may grant approval for the carriage of such items and the basis upon which approvals will be granted should be stated.

**Note:** Should it be necessary to transfer carry-on baggage to the hold (e.g. due to the size of the baggage preventing proper stowage in the cabin) it is necessary for cabin crew to verify that the baggage contains no dangerous goods that are permitted for carriage in carry-on baggage only (e.g. spare lithium batteries, heat producing articles etc.).

An approval is not required for those dangerous goods which, according to the Technical Instructions, can be carried by passengers or crew members as per the table:

**Editorial note 2:** the latest Table 8-1 of the Technical Instructions or the latest Table 2.3.A of the IATA Dangerous Goods Regulations manual must be provided as the addendum to the operations manual.

#### 4.6. Carriage of company material

**Note 1:** The Operator's aircraft components and/or consumable materials (e.g. aircraft spares) classified as dangerous goods must be transported in accordance with the provisions of the Technical Instructions. The operator must develop procedures in the operations manual.

#### 4.7. Provision of Information to Passengers (CAR92.00.28)

**Note:** Operators must inform passengers about dangerous goods that passengers are forbidden to transport aboard an aircraft. The notification system must ensure that where the ticket purchase and/or boarding pass issuance can be completed by a passenger without the involvement of another person, the system must include an acknowledgement by the passenger that they have been presented with the information. The information must be provided to passengers:

- a. at the point of ticket purchase or, if this is not practical, made available in another manner to passengers prior to boarding pass issuance; and
- b. at boarding pass issuance, or when no boarding pass is issued, prior to boarding the aircraft.

The information may be provided in text or pictorial form, electronically, or verbally, as described in the operator's manuals.

An operator or the operator's handling agent and the airport operator must ensure that information on the types of dangerous goods which are forbidden to transport aboard an aircraft is communicated effectively to passengers. This information must be presented at each of the places at an airport where tickets are issued, passengers are checked in, passenger baggage claim areas and aircraft boarding areas are maintained, and at any other location where passengers are issued boarding passes and/or checked baggage is accepted... This information must include visual examples of dangerous goods forbidden from transport aboard an aircraft.

An operator, of passenger aircraft, should have information on those dangerous goods which may be carried by passengers made available prior to the boarding pass issuance process on their websites or other sources of information.

When provision is made for the check-in process to be completed remotely (e.g. via the Internet), the operator must ensure that information on the types of dangerous goods which a passenger is forbidden to transport aboard an aircraft is presented to passengers. Information may be in text or pictorial form but must be such that the check-in process cannot be completed until the passenger, or a person acting on their behalf, has been presented with this information and indicated that they have understood the restrictions on dangerous goods in baggage.

When provision is made for the check-in process to be completed at an airport by a passenger without the involvement of any other person (e.g. automated check-in facility), the operator or the airport operator must ensure that information on the types of dangerous goods which a passenger is forbidden to transport aboard an aircraft is presented to passengers. Information must be in pictorial form and must be such that the check-in process cannot be completed until the passenger has been presented with this information and indicated that they have understood the restrictions on dangerous goods in baggage.

#### 4.8. Marking and Labelling of Packages

Articles and substances meeting the dangerous goods classification criteria are assigned a 'UN Number' under the United Nations classification system. This consists a four-digit number preceded by the capital letters 'UN'. Packages of dangerous goods must be marked with the UN Number(s) applicable to their contents.

Packages containing dangerous goods can also be identified by labels indicating the hazard of the goods by their class or division or by the presence of certain handling labels/markings.

**Note:** *When dangerous goods mark or labels are seen on items not declared as dangerous goods, it is often an indication that they do contain such goods. Undeclared dangerous goods must not be loaded on an aircraft and reporting procedures must be implemented (see 11.10.4).*

During the course of air transport, including storage, dangerous goods mark and labels must not be covered or obscured by any part of or attachment to the packaging or any other label or marking.

## CLASS 1 – EXPLOSIVE

Class 1 (with exploding bomb symbol) – explosives generally not permitted on an aircraft.



Class 1 (without exploding bomb symbol) – explosives usually permitted on an aircraft.



\* Division and compatibility group

• \*\* Compatibility group

## CLASS 2 – GASES

Flammable gas (Division 2.1)



Non-flammable, non-toxic gas (Division 2.2)



Toxic gas (Division 2.3)



## CLASS 3 – FLAMMABLE LIQUID



**CLASS 4 – FLAMMABLE SOLIDS; SUBSTANCES LIABLE TO SPONTANEOUS COMBUSTION; SUBSTANCES WHICH, IN CONTACT WITH WATER, EMIT FLAMMABLE GASES**

Flammable solid  
(Division 4.1)



Substance liable to spontaneous combustion (Division 4.2)



Substance which, in contact with water, emits flammable gas (Division 4.3)



**CLASS 5 – OXIDISING SUBSTANCES AND ORGANIC PEROXIDES**

Oxidising substance  
(Division 5.1)



Organic peroxide (Division 5.2) (flame may be black or white)



**CLASS 6 – TOXIC AND INFECTIOUS SUBSTANCES**

Toxic substance (Division 6.1)



Infectious substance (Division 6.2)



The bottom part of the label should bear the inscription:

“INFECTIOUS SUBSTANCE — In case of damage or leakage immediately notify public health authority”.



## CLASS 7 – RADIOACTIVE MATERIAL

Category I




Category II



Category III



Criticality safety index label



## CLASS 8 – CORROSIVE



## CLASS 9 – MISCELLANEOUS


Class 9 label for Section IA and IB lithium battery shipments



## HANDLING LABELS

Packages of dangerous goods may also bear labels providing handling information; these are:

Magnetized material




Cargo aircraft only



Cryogenic liquid label



Package orientation




(red or black)

Keep away from heat




*Intermediate Bulk Containers (IBCs) are only permitted for the transport of UN 3077 Environmentally hazardous substance, solid, n.o.s. The maximum permitted stacking load applicable when the IBC is in use must be displayed on a symbol as follows:*

## IBCs capable of being stacked



## IBCs NOT capable of being stacked



## LITHIUM BATTERIES MARK

### Lithium Battery



\* Place for UN Number(s)

\*\* Place for telephone number for additional information

**Note:** *the lithium battery handling label contained in the 2015-2016 Edition of the ICAO Technical Instructions (below) may continue to be used until 31 December 2018:*



Application of the lithium battery mark to a consignment of lithium batteries (of any type) indicates that the Shipper has determined specific requirements have been met. Such consignments do not need to be accompanied by a dangerous goods transport document (Shipper's Declaration) and no acceptance check is required. Consignments bearing the lithium battery label must be accompanied with a document such as an air waybill with an indication that:

- the package contains lithium metal cells or batteries;
- the package must be handled with care and that a flammability hazard exists if the package is damaged;
- special procedures should be followed in the event the package is damaged, to include inspection and repacking if necessary;
- a telephone number for additional information; and
- when an air waybill is issued the applicable Packing Instruction must be stated together with the words 'not restricted'; and 'lithium ion batteries' or 'lithium metal batteries' as applicable.

## EXCEPTED QUANTITIES MARK

*Packages containing excepted quantities of dangerous goods can be identified from the following:*



Hatching and symbol of the same colour, black or red, on white or suitable contrasting background.

\* Place for class or, when assigned, the division number(s).

\*\* Place for name of shipper or consignee, if not shown elsewhere on the package.

## LIMITED QUANTITIES MARK

*Packages containing limited quantities of dangerous goods can be identified from the following:*



Many dangerous goods when in reasonably limited quantities present a reduced hazard during transport and can safely be carried in good quality packagings that have not been tested and marked as is required for UN Specification packagings required for larger quantities of dangerous goods. Packages containing limited quantities of dangerous goods must be marked with a diamond shaped mark. When presented for carriage by air, the mark must additionally include a "Y" which indicates compliance with the provisions of the ICAO Technical Instructions, some of which are more stringent than those of the UN Model Regulations and of other modes of transport.

**NOTE:** The mark depicted here but without the 'Y' indicates that the package contains dangerous goods in limited quantities as permitted by surface transport regulations (ADR/IMDG) which may not be acceptable for air transport. A package so marked and offered for transport in the absence of a dangerous goods transport document must be reported to the appropriate authority where the goods are discovered as a discovery of undeclared dangerous goods.

## ENVIRONMENTALLY HAZARDOUS SUBSTANCES MARK



Packages containing environmentally hazardous substances (UN Nos. 3077 and 3082) must be durably marked with the environmentally hazardous substance mark with the exception of single packagings and combination packagings containing inner packagings with contents of 5 L or less for liquids; or contents of 5 kg or less for solids. ALL packages containing environmentally hazardous substances must bear a Class 9 hazard label.

## 5. Duties of All Personnel Involved

### 5.1. Detailed Assignments of Responsibilities (CAR Part 92, 92.00. 30)

**Note 1:** Operators need to assign the key responsibilities associated with the carriage of dangerous goods. For example, it may be intended for acceptance checks of consignments of dangerous goods cargo to be conducted by suitably trained ground staff of the operator or alternatively by a designated handling agent. Duties associated with the carriage of dangerous goods include:

Person Nominated as Responsible for Operator's Dangerous goods Approval	<ul style="list-style-type: none"> <li>• Oversight and control of the carriage of dangerous goods.</li> <li>• Ensuring all necessary permissions, approvals and exemptions are held.</li> <li>• Generation (or acceptance) of relevant procedures.</li> <li>• Responding to queries regarding the carriage of dangerous goods.</li> </ul>
Cargo Department/ Cargo Sales Agents	<ul style="list-style-type: none"> <li>• Arrangement of the carriage of dangerous goods only in accordance with the operator's stated policies.</li> <li>• Recognition of undeclared dangerous goods.</li> </ul>
Persons receiving or handling general cargo, mail and stores	<ul style="list-style-type: none"> <li>• Recognition of undeclared dangerous goods.</li> <li>• Dealing with dangerous goods that are found damaged or leaking during processing for transport.</li> <li>• If there is a dangerous goods incident or accident, or if undeclared dangerous goods are detected, a report is made to the appropriate Authority (see 11.10.4).</li> </ul>
Persons receiving or handling dangerous goods	<ul style="list-style-type: none"> <li>• Acceptance procedures for dangerous goods are carried out as required by the Technical Instructions.</li> <li>• Inspection procedures during the processing of dangerous goods for transport are carried out as required by the Technical Instructions.</li> <li>• Dealing with dangerous goods that are found damaged or leaking during processing for transport.</li> <li>• Dangerous goods are loaded, segregated, stowed and secured on an aircraft in accordance with the Technical Instructions.</li> <li>• Generation of written information to the commander (NOTOC).</li> <li>• Provision of written information about dangerous goods loaded on board to the commander for signature.</li> <li>• Retention of documentation on the ground.</li> <li>• Recognition of undeclared dangerous goods.</li> <li>• If there is a dangerous goods incident or accident, or if undeclared dangerous goods are detected, a report is made to the appropriate Authority (see 11.10.4).</li> </ul>
Reservations	<ul style="list-style-type: none"> <li>• Ensuring that information is provided with the passenger ticket or in another manner such that prior to or during the check-in process the passenger receives the information.</li> <li>• Considering passenger requests for approval of the operator for items of dangerous goods requiring such approval.</li> </ul>

Persons handling passengers	<ul style="list-style-type: none"> <li>• Ensuring that the provisions concerning passengers and dangerous goods are complied with.</li> <li>• Ensuring that notices are displayed in sufficient number and prominence at each of the places at an airport where tickets are issued, passengers checked in and aircraft boarding areas maintained, and at any other location where passengers are checked in.</li> <li>• With the aim of preventing dangerous goods which passengers are not permitted to have from being taken on board an aircraft in their baggage, seeking confirmation from a passenger about the contents of any item where there are suspicions that it may contain dangerous goods.</li> <li>• Ensuring that the discovery of prohibited dangerous goods (after a passenger has checked in) is reported to the appropriate Authority (see 11.10.4).</li> </ul>
Cabin Crew	<ul style="list-style-type: none"> <li>• Ensuring that the provisions concerning passengers and dangerous goods are complied with.</li> <li>• Responding to a dangerous goods incident or accident in the cabin.</li> <li>• Ensuring that a dangerous goods incident or accident in the cabin, or the discovery of prohibited dangerous goods (after a passenger has boarded), is reported to the appropriate Authority (see 11.10.4).</li> </ul>
Operations Personnel	<ul style="list-style-type: none"> <li>• If there is an aircraft incident or accident, information is passed to emergency services and state Authorities as required by the Technical Instructions (see 11.10.2).</li> <li>• If there is a dangerous goods incident or accident, or if undeclared dangerous goods are detected a report is made to the appropriate Authority (see 11.10.4).</li> </ul>
Flight Crew	<ul style="list-style-type: none"> <li>• Signature of NOTOC to indicate receipt of information.</li> <li>• If an in-flight emergency occurs, as soon as the situation permits, passage of details of dangerous goods on board to the appropriate Air Traffic Services Unit.</li> </ul>
Trainers	<ul style="list-style-type: none"> <li>• Provision of initial and recurrent dangerous goods training commensurate with the responsibilities of the personnel concerned.</li> </ul>
Compliance Monitoring Manager, Auditors and Safety Manager	<ul style="list-style-type: none"> <li>• Ensuring that activities are monitored for compliance with dangerous goods requirements and that these activities are carried out properly under the supervision of the relevant head of functional area.</li> <li>• Ensuring the initiation and follow-up of internal occurrence / accident investigations.</li> </ul>

**Note 2:** In practice a ground handling agent may carry out some or all of the procedures for processing dangerous goods cargo for air transport. A ground handling agent must be provided with sufficient information to enable these procedures to be actioned. Operators should specify whether they utilise suitably qualified personnel of the operator or of a handling agent at the various aerodromes of the operation.

## 5.2. Guidance on the Requirements for Acceptance, Handling and Stowage (CAR Part 92, 92.00.14)

### 5.2.1. Acceptance Check

Before a consignment consisting of a package or overpack containing dangerous goods, a freight container containing radioactive material or a unit load device containing dangerous goods is first accepted for carriage by air, the operator must, by use of a Dangerous Goods acceptance checklist, verify the following:

- a. the documentation or, when provided, the electronic data is compliant with the applicable requirements
- b. the quantity of dangerous goods stated on the dangerous goods transport document is within the limits per package on a passenger or cargo aircraft as appropriate;
- c. the marking of the package, overpack or freight container accords with the details stated on the accompanying dangerous goods transport document and is clearly visible;
- d. where required, the letter in the packaging specification marking designating the packing group for which the design type has been successfully tested is appropriate for the dangerous goods contained within. This does not apply to overpacks where the specification marking is not visible;
- e. proper shipping names, UN numbers, labels, and special handling instructions appearing on the interior package(s) are clearly visible or reproduced on the outside of an overpack;
- f. the labelling of the package, overpack or freight container is as required for the consignment;
- g. the outer packaging of a combination package or the single packaging is permitted by the applicable packing instruction, and when visible is of the type stated on the accompanying dangerous goods transport document and is permitted by the applicable packing instruction;
- h. the package or overpack does not contain different dangerous goods which require segregation from each other;
- i. the package, overpack, freight container or Unit Load Device (ULD) is not leaking and there is no indication that its integrity has been compromised; and

**The operator must be able to identify the person who performed the acceptance check.**

*Note 1: An acceptance check is not required for dangerous goods in excepted quantities, radioactive material in excepted packages and lithium batteries consigned in accordance with Section II of the applicable packing instruction.*

*Note 2: Persons conducting dangerous goods acceptance checks must have received dangerous goods training commensurate with this responsibility. Acceptance checks conducted in the South Africa must only be conducted by a person who has successfully completed training applicable to this role from a SACAA Approved Dangerous Goods Training Organisation.*

#### **5.2.2. Inspections for Damage or Leakage (CAR Part 92, 92.00. 16)**

A package or overpack containing dangerous goods must not be loaded onto an aircraft or into a ULD unless it has been inspected immediately prior to loading and found free from evidence of leakage or damage. A ULD must not be loaded aboard an aircraft unless the device has been inspected and found free from any evidence of leakage from or damage to any dangerous goods contained therein. Packages or overpacks containing dangerous goods must be inspected for signs of damage or leakage upon unloading from the aircraft or ULD.

#### **5.2.3. Prohibition on the Carriage of Dangerous Goods Within a Cabin Occupied by Passengers (CAR Part 92, 92.00.18)**

Dangerous goods must not be carried in the cabin of an aircraft occupied by passengers or on the flight deck, except as provided for in the Technical Instructions.

#### **5.2.4. Prohibition on the Carriage of Passengers with 'Cargo Aircraft Only' Dangerous Goods (CAR Part 92.00.18)**

Dangerous goods identified as suitable for transport only on a cargo aircraft must not be carried on an aircraft on which passengers are being carried. In this context "passenger" excludes a crew member, an operator's employee (see 10.1.4 above), an authorised representative of an Authority and a person with duties in respect of a particular shipment of dangerous goods or other cargo on board.

### 5.2.5. Segregation and Separation (CAR Part 92.00.19)

Dangerous goods must be loaded, stowed and secured on an aircraft as required by the Technical Instructions. This includes segregating packages from each other when they contain incompatible dangerous goods, the separation of explosives of different division numbers and compatibility groups (when required), securing packages in a manner that will prevent any movement, and on a cargo aircraft loading certain packages so they are accessible in flight unless loaded in a Class C cargo compartment, or a ULD of the same specification. Packages of dangerous goods must also be protected so they cannot be damaged by the movement of baggage, mail, stores or other cargo.

**Note:** Operators holding approval for the carriage of dangerous goods should determine how such goods shall be secured to prevent movement in flight, to protect from damage by the movement of other items and to achieve adequate segregation whilst maintaining accessibility (if required), taking into account the types of aircraft operated, whether ULDs are used, etc. Additionally, it is appropriate to amend the following tables to reflect the operator's policy towards the separation of dangerous goods from other cargo (e.g. dry ice and animals in accordance with 10.3.6).

#### Segregation of incompatible dangerous goods

Hazard Label	Class or Division								
	1	2	3	4.2	4.3	5.1	5.2	6	8
1	Note 1	Note 2	Note 2	Note 2	Note 2	Note 2	Note 2		Note 2
2	Note 2								
3	Note 2					X			
4.2	Note 2					X			
4.3	Note 2								X
5.1	Note 2		X	X					
5.2	Note 2								
6									
8	Note 2				X				

An "X" at the intersection of a row and column indicates that packages containing these classes of dangerous goods may not be stowed next to or in contact with each other, or in a position which would allow interaction in the event of leakage of the contents. Thus, a package containing Class 3 dangerous goods may not be stowed next to or in contact with a package containing Division 5.1 dangerous goods. Packages containing dangerous goods with multiple hazards in the class or divisions which require segregation in accordance with the above table need not be segregated from other packages bearing the same UN number.

**Note 1:** See the table below detailing the separation of explosive substances and articles.

**Note 2:** This class or division must not be stowed together with explosives other than those in Division 1.4, Compatibility Group S.



**Note:** Class 1 dangerous goods other than Division 1.4S may only be carried on cargo aircraft. Operators not operating cargo aircraft should (a) delete the table explaining the separation of explosive substances and articles (below) and (b) amend Note 1 to the segregation table (above) to read 'Only Division 1.4S is permitted for carriage on passenger aircraft'.

**Separation of explosive substances and articles**

Division and Compatibility Group	1.3C	1.3G	1.4B	1.4C	1.4D	1.4E	1.4G	1.4S
1.3C			X					
1.3G			X					
1.4B	X	X		X	X	X	X	
1.4C			X					
1.4D			X					
1.4E			X					
1.4G			X					
1.4S								

An "X" at the intersection of a row and column indicates that explosives of these divisions and compatibility groups must be loaded into separate unit load devices and, when stowed aboard the aircraft, the unit load devices must be separated by other cargo with a minimum separation distance of 2 m. When not loaded in a unit load device, these explosives must be loaded into different, non-adjacent loading positions and separated by other cargo with a minimum separation distance of 2 m. Explosive substances and articles carried under an exemption may be subject to additional separation requirements.

**5.2.6. Loading of Dry Ice**

Dry ice (Carbon dioxide, solid; UN1845) may be carried onboard aircraft to keep food (galley or cargo) and medicine or biological materials (as cargo) in a frozen or chilled condition. Carbon dioxide gas produced by the sublimation of dry ice is an asphyxiant and will reduce the amount of available oxygen to breathe. Dry ice sublimation producing excess CO<sub>2</sub> gas may be dangerous in confined spaces where there is an absence of ventilation or ventilation rates are low. The signs and symptoms of CO<sub>2</sub> poisoning are similar to those that precede lack of oxygen, namely headache, dizziness, muscular weakness, drowsiness, and ringing in the ears. CO<sub>2</sub> poisoning does have a greater effect on breathing than simple lack of oxygen, causing a significant increase in the rate and depth of breathing as an early symptom. 10% carbon dioxide in air can be endured for only a few minutes whereas 12% to 15% would cause unconsciousness.

**5.2.7. Ground staff must be informed that dry ice is being loaded or is onboard the aircraft.**

**Note:** Dry ice when shipped by itself or when used as a refrigerant for other commodities may be carried provided the operator has made suitable arrangements dependent on the aircraft type, the aircraft ventilation rates, the method of packing and stowing, whether animals will be carried on the same flight and other factors. To prevent the incapacitation of ground and aircrew, aircraft operators must specify maximum safe quantities of dry ice per compartment of the various aircraft types operated in accordance with the above criterion and information published by the applicable aircraft manufacturer(s).

### 5.2.8. Loading of Magnetised Material

Packing Instruction 953 allows the carriage of such material when the magnetic field strength at a distance of 4.6 m causes a compass deflection of not more than 2 degrees (equivalent to 0.418 A/m or 0.00525 Gauss measured at a distance of 4.6 m). Material with a magnetic field strength exceeding these limits may only be carried with the prior approval of the State of Origin and the State of the Operator.

Magnetised material must be loaded so headings of aircraft compasses are maintained within the tolerances prescribed by the applicable aircraft airworthiness requirements and, where practical, in locations minimising possible effects on compasses.

**Notes:** Masses of ferromagnetic metals such as automobiles, automobile parts, metal fencing, piping and metal construction material, even if not meeting the definition of magnetised materials, may affect aircraft compasses. As may packages or items of material which individually do not meet the definition of magnetised material, but cumulatively may have a magnetic field strength of a magnetised material.

**Note:** Operators should consider whether consignments of large quantities of ferromagnetic metals should be stowed as if they were classified as magnetised material. Operators, particularly of small aircraft, must establish adequate procedures to ensure that consignments described above are identified and loaded in a manner that will not affect aircraft instruments.

### 5.2.9. Loading of Radioactive Material (CAR Part 92.00.36)

**Note 1:** Should there exist a policy not to carry radioactive material (stated within 9.1.1) this section may be omitted.

Radioactive materials are articles or substances which spontaneously and continuously emit ionising radiation, which can be harmful to the health of humans and animals and can affect photographic or X-Ray film. Whilst packagings used for the transport of radioactive material must provide protection from radiation, there is likely to be residual activity from packages offered for air transport.

A Transport Index (TI) is a number which represents the level of radiation at a distance of 1 metre, assigned to a single package, overpack or freight container. The TI is used to provide control over radiation exposure, to determine categories of radioactive material for the purposes of labelling, declaration, etc., to determine whether transport under exclusive use is required and to determine spacing requirements during storage and transport. The TI for each overpack or freight container must be determined as either the sum of the transport indices of all the packages contained, or by direct measurement of radiation level.

#### Separation From Persons

Categories II — Yellow and III — Yellow packages, overpacks or freight containers must be separated from persons. The minimum separation distances in the following table that are to be applied are based upon the sum of TIs and these distances are from the surface of the packages, overpacks or freight containers to the nearest inside surface of the passenger cabin or flight deck partitions or floors, irrespective of the duration of the carriage of the radioactive material. If the packages, overpacks or freight containers are separated into groups, the minimum distance from the nearest inside surface of the passenger cabin or flight deck partitions or floors to each group is the distance applicable to the sum of the TIs within the individual groups, provided that each group is separated from each other group by at least three times the distance applicable to the one that has the larger sum of TIs. Alternative separation distances apply when radioactive material is being carried by a cargo aircraft and in those circumstances the minimum distances must be applied as above and also to any other areas occupied by persons. Whether carried on a passenger or cargo aircraft, in accordance with the practice of keeping exposure to radiation as low as reasonably achievable, separation distances should be extended whenever feasible.

Passenger or Cargo Aircraft		Cargo Aircraft Only	
Total sum of transport indexes	Minimum distance (metres)	Total sum of transport indexes	Minimum distance (metres)

Passenger or Cargo Aircraft		Cargo Aircraft Only	
Total sum of transport indexes	Minimum distance (metres)	Total sum of transport indexes	Minimum distance (metres)
0.1 – 1.0	0.30	50.1 – 60.0	4.65
1.1 – 2.0	0.50	60.1 – 70.0	5.05
2.1 – 3.0	0.70	70.1 – 80.0	5.45
3.1 – 4.0	0.85	80.1 – 90.0	5.80
4.1 – 5.0	1.00	90.1 – 100.0	6.10
5.1 – 6.0	1.15	100.1 – 110.0	6.45
6.1 – 7.0	1.30	110.1 – 120.0	6.70
7.1 – 8.0	1.45	120.1 – 130.0	7.00
8.1 – 9.0	1.55	130.1 – 140.0	7.30
9.1 – 10.0	1.65	140.1 – 150.0	7.55
10.1 – 11.0	1.75	150.1 – 160.0	7.80
11.1 – 12.0	1.85	160.1 – 170.0	8.05
12.1 – 13.0	1.95	170.1 – 180.0	8.30
13.1 – 14.0	2.05	180.1 – 190.0	8.55
14.1 – 15.0	2.15	190.1 – 200.0	8.75
15.1 – 16.0	2.25	200.1 – 210.0	9.00
16.1 – 17.0	2.35	210.1 – 220.0	9.20
17.1 – 18.0	2.45	220.1 – 230.0	9.40
18.1 – 20.0	2.60	230.1 – 240.0	9.65
20.1 – 25.0	2.90	240.1 – 250.0	9.85
25.1 – 30.0	3.20	250.1 – 260.0	10.05
30.1 – 35.0	3.50	260.1 – 270.0	10.25
35.1 – 40.0	3.75	270.1 – 280.0	10.40
40.1 – 45.0	4.00	280.1 – 290.0	10.60
45.1 – 50.0	4.25	290.1 – 300.0	10.80

#### Separation From Live Animals

Categories II — Yellow and III — Yellow packages, overpacks or freight containers must be separated from live animals by a distance of at least 0.5 metres for journeys not exceeding 24 hours, and by a distance of at least 1.0 metres for journeys longer than 24 hours.

#### Separation From Undeveloped Photographic Film

Categories II — Yellow and III — Yellow packages, overpacks or freight containers must be separated from undeveloped photographic films or plates. The minimum separation distances to be applied from the surface of the packages, overpacks or freight containers to the surface of the packages of undeveloped photographic films or plates are as follows:

Total sum of transport indexes	Duration of carriage					
	2 hours or less	2-4 hours	4-8 hours	8-12 hours	12-24 hours	24-48 hours
1	0.4	0.6	0.9	1.1	1.5	2.2
2	0.6	0.8	1.2	1.5	2.2	3.1

Total sum of transport indexes	Duration of carriage					
	2 hours or less	2-4 hours	4-8 hours	8-12 hours	12-24 hours	24-48 hours
3	0.7	1.0	1.5	1.8	2.6	3.8
4	0.8	1.2	1.7	2.2	3.1	4.4
5	0.8	1.3	1.9	2.4	3.4	4.8
10	1.4	2.0	2.8	3.5	4.9	6.9
20	2.0	2.8	4.0	4.9	6.9	10.0
30	2.4	3.5	4.9	6.0	8.6	12.0
40	2.9	4.0	5.7	6.9	10.0	14.0
50	3.2	4.5	6.3	7.9	11.0	16.0

Note: The above table is calculated so that the radiation dose received by the films does not exceed 0.1 mSv (10 mrem).

#### Means of Securing

The means of securing packages or overpacks must adequately ensure that minimum separation distances are maintained at all times.

**Note:** An aircraft and equipment used regularly for the transport of radioactive material must be periodically checked to determine the level of contamination. The frequency of such checks must be related to the likelihood of contamination and the extent to which radioactive material is transported. Operators that carry radioactive material need to define the means and frequency of checks for radioactive contamination of aircraft and equipment (e.g. unit load devices).

#### **5.2.10. Notification to Captain (NOTOC) (CAR Part 92.00.15)**

As early as practicable before departure of the aircraft, but in no case later than when the aircraft moves under its own power, the operator of an aircraft in which dangerous goods are to be carried must:

- a. provide the pilot-in-command with accurate and legible written or printed information concerning dangerous goods that are to be carried as cargo before departure of the aircraft; and
- b. provide personnel with responsibilities for operational control of the aircraft (e.g. the flight operations officer, flight dispatcher, or designated ground personnel responsible for flight operations) with the same information that is required to be provided to the pilot-in-command (e.g. a copy of the written information provided to the pilot-in-command). This is to facilitate notifying emergency services and authorities of the dangerous goods on board in the event of an aircraft accident or incident.
- c. provide for retention of the NOTOC in a manner that it is accessible to the aerodrome of last departure and of the next scheduled arrival.

**Note:** The operator must specify the personnel (job title or function) to be provided this information in accordance with 9.3.9(b). The process of ground personnel transmitting this information to personnel with responsibilities for operational control of the aircraft also needs to be explained. Particular attention should be paid to the arrangements for ad hoc charters carrying dangerous goods where ongoing instructions to ensure the availability of the NOTOC may not be in place, e.g. through issuing appropriate instructions within the ground handling request.

This includes information about dangerous goods loaded at a previous departure point and which are to be carried on the subsequent flight.

- a. This information must include the following:
- b. the air waybill number (when issued);
- c. the proper shipping name (the technical name(s) shown on the dangerous goods transport document is not required) and UN Number or ID number;
- d. the class or division, and subsidiary risk(s) corresponding to the subsidiary risk label(s) applied, by numerals, and (in the case of Class 1) the compatibility group;
- e. the packing group shown on the dangerous goods transport document;
- f. the number of packages and their exact loading location. For radioactive material see (g) below;
- g. the net quantity, or gross mass if applicable, of each package, except that this does not apply to radioactive material or other dangerous goods where the net quantity or gross mass is not required on the dangerous goods transport document. For a consignment consisting of multiple packages containing dangerous goods bearing the same proper shipping name and UN number, only the total quantity and an indication of the quantity of the largest and smallest package at each loading location need to be provided;
- h. for radioactive material, the number of packages, overpacks or freight containers, their category, their Transport Index (if applicable) and their exact loading location;
- i. whether the package must be carried on cargo aircraft only;
- j. the aerodrome at which the package(s) is to be unloaded;
- k. applicable, an indication that the dangerous goods are being carried under a State exemption; and
- l. signed confirmation, or some other indication, from the person responsible for loading the aircraft that there was no evidence of any damage to or leakage from the packages or any leakage from the unit load devices loaded on the aircraft.

**Note1:** For UN 1845 Carbon dioxide, solid (dry ice), the information detailed above may be replaced by the UN number, proper shipping name, class, total quantity in each hold on the aircraft and the aerodrome at which the package(s) is to be unloaded.

**Note2:** For UN 3480 (Lithium ion batteries) and UN 3090 (Lithium metal batteries), the information detailed above may be replaced by the UN number, proper shipping name, class, total quantity at each specific loading location, and whether the package must be carried on cargo aircraft only. A full NOTOC is required when such batteries are carried under a State exemption.

**Note3:** For consumer commodities, the information provided may be either the gross mass of each package or the average gross mass of the packages as shown on the dangerous goods transport document

**Note:** The telephone number where a copy of the information to the pilot-in-command can be obtained during the flight is additionally required on the NOTOC should it be intended to make it possible for the pilot-in-command to provide the appropriate Air Traffic Services Unit with a telephone number instead of details about the dangerous goods on board the aircraft in the event of an in-flight emergency.

The following dangerous goods need not appear on the NOTOC:

- a. Dangerous goods packed in excepted quantities
- b. Biological substance, Category B
- c. Genetically modified micro-organisms
- d. Genetically modified organisms

- e. Lithium ion batteries (including lithium ion polymer batteries); Lithium ion batteries contained in equipment; and Lithium ion batteries packed with equipment when meeting the Section II requirements of the applicable Packing Instruction.
- f. Lithium metal batteries (including lithium alloy batteries), Lithium metal batteries contained in equipment, and Lithium metal batteries packed with equipment when meeting the Section II requirements of the applicable Packing Instruction.
- g. Magnetized material
- h. Radioactive material, excepted package (UN 2908, UN 2909, UN 2910 or UN 2911)

### 5.3. Availability of NOTOC on the Ground for the Duration of Flight (CAR Part 92.00.15 (3))

A legible copy of the information to the pilot-in command must be retained on the ground. This copy must have an indication on it, or with it, that the pilot-in-command has received the information.

#### 5.3.1. Retention of Documents (CAR Part 92.00.26)

At least one copy of the documents appropriate to the transport by air of a consignment of dangerous goods (including consignments that fail their acceptance check) must be retained for a minimum period of 90 days, or such other period as specified by the States concerned, after the flight on which the dangerous goods were transported. As a minimum, the documents which must be retained are the dangerous goods transport document (Shipper's Declaration), the acceptance checklist (when this is in a form which requires completion) including identification of the person who completed it, and the NOTOC (if the goods were carried).

**Note:** Operators should indicate where the documents appropriate to the transport by air of a consignment of dangerous goods are to be retained, e.g. within a flight file, or within the files of a handling agent(s), etc. If this to be carried out by a handling agent, procedures need to be in place, particularly for ad hoc charters.

### 5.4. Ad Hoc Charters

**Editorial Note:** Many operators utilise ground handling agents to discharge certain duties with regards to the carriage of dangerous goods by air, e.g. conducting acceptance checks, NOTOC preparation and administration, aircraft loading, retention of documents, etc. Should such operators wish to undertake ad hoc charters involving the carriage of dangerous goods between stations where ongoing ground handling agreements are not in place, it would be necessary for duties to be properly assigned to the agent(s) concerned in advance of the operation of flights. Furthermore, should the agent at the station of departure not operate 24 hours a day, it must also be ensured that a copy of the NOTOC is readily available on the ground in the event of an emergency, e.g. by instructing the agent to fax or e-mail a copy of the completed NOTOC to the operator as soon as possible after the signature by the pilot-in-command has been obtained. Procedures for assigning such duties to agents (such as via the issue of ad hoc ground handling requests) should be established.

### 5.5. Recognition of Undeclared / Hidden Dangerous Goods (CAR Part 92.00.25) (CAR Part 92.00.32)

#### 5.5.1. 'Hidden' Dangerous Goods

Personnel must be alert to indications that undeclared dangerous goods are present within cargo, mail or stores. Personnel interfacing with passengers must be alert to indications that prohibited dangerous goods are carried by passengers or within their baggage.

**NOTE: THE DISCOVERY OF UNDECLARED OR MIS-DECLARED DANGEROUS GOODS OR THE DISCOVERY OF DANGEROUS GOODS FORBIDDEN FOR CARRIAGE BY PASSENGERS (DISCOVERED AFTER THE CHECK-IN**

**PROCESS) OR CARGO WAREHOUSE AFTER ACCEPTANCE AND OR SCREENING MUST BE REPORTED TO THE SACAA WITHIN 48 HOURS – SEE 11.10.4.**

The following is a list of general descriptions that are often used for items in cargo or in passengers' baggage and the types of dangerous goods that may be included in any item bearing that description.

<i>Aircraft on ground (AOG) spares</i>	— may contain explosives (flares or other pyrotechnics), chemical oxygen generators, unserviceable tyre assemblies, cylinders of compressed gas (oxygen, carbon dioxide or fire extinguishers), fuel in equipment, wet or lithium batteries, matches.
<i>Automobile parts/supplies (car, motor, motorcycle)</i>	— may include engines (including fuel cell engines), carburettors or fuel tanks that contain or have contained fuel, wet or lithium batteries, compressed gases in tyre inflation devices and fire extinguishers, air bags, flammable adhesives, paints, sealants and solvents, etc.
<i>Battery-powered devices/equipment</i>	— may contain wet or lithium batteries.
<i>Breathing apparatus</i>	— may indicate cylinders of compressed air or oxygen, chemical oxygen generators or refrigerated liquefied oxygen.
<i>Camping equipment</i>	— may contain flammable gases (butane, propane, etc.), flammable liquids (kerosene, gasoline, etc.) or flammable solids (hexamine, matches, etc.).
<i>Cars, car parts</i>	— see automobile parts, etc.
<i>Chemicals</i>	— may contain items meeting any of the criteria for dangerous goods, particularly flammable liquids, flammable solids, oxidisers, organic peroxides, toxic or corrosive substances.
<i>Consolidated consignments (groupages)</i>	— may contain any of the defined classes of dangerous goods.
<i>Cryogenic (liquid)</i>	— indicates refrigerated liquefied gases such as argon, helium, neon, nitrogen, etc.
<i>Cylinders</i>	— may contain compressed or liquefied gas.
<i>Dental apparatus</i>	— may contain flammable resins or solvents, compressed or liquefied gas, mercury and radioactive material.
<i>Diagnostic specimens</i>	— may contain infectious substances.
<i>Diving equipment</i>	— may contain cylinders of compressed gas (e.g. air or oxygen). May also contain high intensity diving lamps that can generate extreme heat when operated in air. In order to be carried safely, the bulb or battery should be disconnected.

<i>Drilling and mining equipment</i>	— may contain explosive(s) and/or other dangerous goods.
<i>Dry shipper (vapour shipper)</i>	— may contain free liquid nitrogen. Dry shippers are only not subject to these Instructions when they do not permit the release of any free liquid nitrogen irrespective of the orientation of the packaging.
<i>Electrical/electronic equipment</i>	— may contain magnetised materials, mercury in switch gear, electron tubes, wet or lithium batteries or fuel cells or fuel cell cartridges that contain or have contained fuel.
<i>Electrically-powered apparatus</i> (wheelchairs, lawn mowers, golf carts, etc.)	— may contain wet or lithium batteries or fuel cells or fuel cell cartridges that contain or have contained fuel.
<i>Expeditionary equipment</i>	— may contain explosives (flares), flammable liquids (gasoline), flammable gas (camping gas) or other dangerous goods.
<i>Film crew and media equipment</i>	— may contain explosive pyrotechnic devices, generators incorporating internal combustion engines, wet or lithium batteries, fuel, heat-producing items, etc.
<i>Frozen embryos</i>	— may be packed in refrigerated liquefied gas or dry ice (solid carbon dioxide).
<i>Frozen fruit, vegetables, etc</i>	— may be packed in dry ice.
<i>Fuel control units</i>	— may contain flammable liquids.
<i>Hot-air balloon</i>	— may contain cylinders with flammable gas, fire extinguishers, engines (internal combustion), batteries, etc.
<i>Household goods</i>	— may contain items meeting any of the criteria for dangerous goods. Examples include flammable liquids such as solvent-based paint, adhesives, polishes, aerosols (for passengers, those not permitted under ICAO Technical Instructions 8;1.1.2), bleach, corrosive oven or drain cleaners, ammunition, matches, etc.
<i>Instruments</i>	— may conceal barometers, manometers, mercury switches, rectifier tubes, thermometers, etc. containing mercury.
<i>Laboratory/testing equipment</i>	— may contain items meeting any of the criteria for dangerous goods, particularly flammable liquids, flammable solids, oxidisers, organic peroxides, toxic or corrosive substances, lithium batteries, cylinders of compressed gas, etc.
<i>Machinery parts</i>	— may contain flammable adhesives, paints, sealants and solvents, wet and lithium batteries, mercury, cylinders of compressed or liquefied gas, etc.
<i>Magnets and other items of similar material</i>	— may individually or cumulatively meet the definition of magnetised material.



<i>Medical supplies/equipment</i>	— may contain items meeting any of the criteria for dangerous goods, particularly flammable liquids, flammable solids, oxidisers, organic peroxides, toxic or corrosive substances, lithium batteries.
<i>Metal construction material</i>	— may contain ferro-magnetic material which may be subject to special stowage requirements due to the possibility of affecting aircraft instruments.
<i>Metal fencing</i>	— may contain ferro-magnetic material which may be subject to special stowage requirements due to the possibility of affecting aircraft instruments.
<i>Metal piping</i>	— may contain ferro-magnetic material which may be subject to special stowage requirements due to the possibility of affecting aircraft instruments.
<i>Pharmaceuticals</i>	— may contain items meeting any of the criteria for dangerous goods, particularly radioactive material flammable liquids, flammable solids, oxidisers, organic peroxides, toxic or corrosive substances.
<i>Photographic supplies/equipment</i>	— may contain items meeting any of the criteria for dangerous goods, particularly heat-producing devices, flammable liquids, flammable solids, oxidisers, organic peroxides, toxic or corrosive substances, lithium batteries.
<i>Racing car or motorcycle team equipment</i>	— may contain engines (including fuel cell engines), carburettors or fuel tanks that contain fuel or residual fuel, wet and lithium batteries, flammable aerosols, nitromethane or other gasoline additives, cylinders of compressed gases, etc.
<i>Refrigerators</i>	— may contain liquefied gases or an ammonia solution.
<i>Repair kits</i>	— may contain organic peroxides and flammable adhesives, solvent-based paints, resins, etc.
<i>Samples for testing</i>	— may contain items meeting any of the criteria for dangerous goods, particularly infectious substances, flammable liquids, flammable solids, oxidisers, organic peroxides, toxic or corrosive substances.
<i>Semen</i>	— may be packed with dry ice or refrigerated liquefied gas (see also dry shipper).
<i>Sporting goods/sports team equipment</i>	— may contain cylinders of compressed or liquefied gas (air, carbon dioxide, etc.), lithium batteries, propane torches, first aid kits, flammable adhesives, aerosols, etc.
<i>Swimming pool chemicals</i>	— may contain oxidising or corrosive substances.
<i>Switches in electrical equipment or instruments</i>	— may contain mercury.

<i>Tool boxes</i>	— may contain explosives (power rivets), compressed gases or aerosols, flammable gases (butane cylinders or torches), flammable adhesives or paints, corrosive liquids, lithium batteries, etc.
<i>Torches</i>	— micro torches and utility lighters may contain flammable gas and be equipped with an electronic starter. Larger torches may consist of a torch head (often with a self-igniting switch) attached to a container or cylinder of flammable gas.
<i>Unaccompanied passengers' baggage/personal effects</i>	— may contain items meeting any of the criteria for dangerous goods not permitted for carriage by passengers and crew.  <i>Note: Excess baggage carried as cargo may contain certain dangerous goods (see 10.1.3.4).</i>
<i>Vaccines</i>	— may be packed in dry ice.

### 5.5.2. Identification of Dangerous Goods Through X-Ray Screening

Persons conducting security screening of cargo should be alert to the presence of dangerous goods within packages that are not marked and labelled as dangerous goods and/or not accompanied by a Shipper's Declaration. In particular, items such as aerosols, ammunition, gas cylinders (camping gas, cylinders attached to life-jackets, etc.), cigarette lighters and wet acid batteries can be readily identified from x-ray images. Information provided on an air waybill or marked on a package often indicates that a consignment contains no dangerous goods. In the absence of such annotation by the shipper, should suspicions be raised by the size and shape of the contents of a package, consideration should be given to opening and hand-searching the consignment to verify that no undeclared dangerous goods are present.

Consignments of dangerous goods that have been properly marked, labelled and declared to the operator (where approved for carriage) are commonly processed separately from general freight. Should consignments bearing UN numbers, proper shipping names or hazard labels be discovered within general freight, when separate arrangements exist, this should be queried. It may be that no shipper's declaration accompanies the consignment; as such the consignment of dangerous goods would be considered 'undeclared'.

### 5.5.3. GHS/CHIP Consumer Labelling (Overview)

Some everyday household items bear consumer warning labels which may or may not indicate they are classified as dangerous goods in air transport. All over the world there are different laws on how to identify the hazardous properties of chemicals (called 'classification') and how information about these hazards is then passed to users (through consumer supply labels and safety data sheets for workers). This can be confusing because the same chemical can have different hazard descriptions in different countries. For example, a chemical could be labelled for supply as 'toxic' in one country, but not in another. For this reason, the UN brought together experts from different countries to create the Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

### 5.5.4. GHS Labels

Products bearing the following GHS labels ARE classified as dangerous goods:



**Note:** A product bearing the GHS corrosive label (depicted far right above) is NOT classified as dangerous goods if the signal word 'Danger' and hazard statement 'causes serious eye damage' applies.





Products bearing the following GHS labels (and none of the above) are NOT classified as dangerous goods:






### 5.5.5. CHIP Labels












CHIP labels are represented below together with indications of how goods bearing such labels may be classified for transport purposes. In the event that CHIP labels and associated risk phrases cause suspicion that a particular consignment contains undeclared dangerous goods, it will be necessary to refer to the Safety Data Sheet applicable to the product (see information above).

### 5.5.6. Physiochemical


Symbol	Abbreviation	Hazard	Description of hazard	Transport classification
	E	explosive	Chemicals that explode.	All substances and preparations classified in Class 1. Organic peroxides of Division 5.2 which require an "EXPLOSIVE" subsidiary risk label.
	O	oxidising	Chemicals that react exothermically with other chemicals.	All substances and preparations classified in Division 5.1. All organic peroxides of Division 5.2 other than those which require an "EXPLOSIVE" subsidiary risk label.
	F+	extremely flammable	Chemicals that have an extremely low flash point and boiling point, and gases that catch fire in contact with air.	Gases of Division 2.1 and Division 2.3 gases with a subsidiary risk of Division 2.1. All substances and preparations classified in Class 3 Packing Group I.
	F	highly flammable	Chemicals that may catch fire in contact with air, only need brief contact with an ignition source, have a very low flash point or evolve highly flammable gases in contact with water.	<u>Most</u> substances and preparations classified as Class 3 Packing Group II. <u>Some</u> solids classified in Division 4.1. All substances and preparations classified in Division 4.2. All substances and preparations classified as Division 4.3.
None	None	flammable	Substances and preparations with a flashpoint equal to or greater than 21°C and less than or equal to 55°C.	<u>Some</u> substances and preparations classified as Class 3 Packing Group II and <u>most</u> substances and preparations classified in Class 3 Packing Group III.

### 5.5.7. Health

Symbol	Abbreviation	Hazard	Description of hazard	Transport classification
	T+	very toxic	Chemicals that at very low levels cause damage to health.	Substances and preparations classified in Division 6.1 Packing Group I, and some substances and preparations classified in Division 6.1 Packing Group II.
	T	toxic	Chemicals that at low levels cause damage to health.	Substances and preparations classified in Division 6.1 Packing Group II other than those classified above, and <u>some</u> substances and preparations classified in Division 6.1 Packing Group III.
	Carc Cat 1	category 1 carcinogens	Chemicals that may cause cancer or increase its	Substances and preparations <u>may</u> be classified in any Class or Division of

Symbol	Abbreviation	Hazard	Description of hazard	Transport classification
	Carc Cat 2	category 2 carcinogens	incidence.	Classes 1 to 9 ( <b>though normally in Division 6.1</b> ) but <u>may</u> , however, be not subject to the Technical Instructions and may not need to be declared as dangerous goods.
	Carc Cat 3	category 3 carcinogens		
	Muta Cat 1	category 1 mutagens	Chemicals that induce heritable genetic defects or increase their incidence.	
	Muta Cat 2	category 2 mutagens		
	Muta Cat 3	category 3 mutagens		
	Repr Cat 1	category 1 reproductive toxins	Chemicals that produce or increase the incidence of birth defects, which may be severe, and/or an impairment in reproductive functions or capacity.	
	Repr Cat 2	category 2 reproductive toxins		
	Repr Cat 3	category 3 reproductive toxins		
	Xn	harmful	Chemicals that may cause damage to health.	Substances and preparations classified in Division 6.1 Packing Group III other than those classified above, and <u>some</u> substances and preparations which are not subject to the Technical Instructions.
	C	corrosive	Chemicals that may destroy living tissue on contact.	The vast majority of substances and preparations which are classified as Class 8.
	Xi	irritant	Chemicals that may cause inflammation to the skin or other mucous membranes.	<u>Some</u> organic peroxides of Division 5.2. Otherwise, substances and preparations are not subject to the Technical Instructions.

#### 5.5.8. Environmental

Symbol	Abbreviation	Hazard	Description of hazard	Transport classification
	N	dangerous for the environment	Chemicals that may present an immediate or delayed danger to one or more components of the environment.	Substances designated as severe marine pollutants <sup>(a)</sup> , marine pollutants <sup>(b)</sup> , and aquatic pollutants <sup>(c)</sup> . Substances and preparations may be classified in any Class or Division of Classes 1 to 8, and UN 3077 and UN 3082 in Class 9.

Notes:

- (a) *Substances and preparations designated as "severe marine pollutant" in the International Maritime Dangerous Goods Code.*
- (b) *Substances and preparations designated as "marine pollutant" in the International Maritime Dangerous Goods Code.*
- (c) *Substances and preparations designated as aquatic pollutants in ADR.*
- (d) *The above table does not apply to substances and preparations of Division 6.2 and Class 7 which are not subject to the CHIP Regulations.*
- (e) *CHIP labels for mixtures will be replaced by the Globally Harmonized System (GHS) of labelling on 1 June 2015. Information on CHIP should be removed after 1 June 2017 once transitional arrangements cease to apply.*

## 5.6. Emergency Situations (CAR Part 92.00.22 (4) (5))

### 5.6.1. Provision of Information for Use in Responding to In-Flight Emergencies (CAR Part 92.00. 24)

For those dangerous goods for which a dangerous goods transport document is required, the commander of an aircraft carrying such goods must be provided with information which can be used on board to assist in planning the response to an emergency arising in-flight involving the dangerous goods. See 10.7.1 below

## 6. Conditions Under Which Weapons, Munitions of War and Sporting Weapons May Be Carried

### 6.1. Need for Approval to Transport Munitions of War

Weapons of war and munitions of war can only be carried provided an approval to do so has been granted by all the States concerned before a flight. They must be carried in a place inaccessible to passengers during flight and, in the case of firearms, unloaded. In South Africa, the operator must apply to the SACAA Dangerous Goods Department should they need to apply for such an exemption.

### 6.2. Notifying Commander of the Carriage of Munitions of War

The commander must be notified before a flight if weapons of war or munitions of war are to be carried on the aircraft.

#### 6.2.1. Carriage of Sporting Weapons When Inaccessible to Passengers During Flight

Sporting weapons and ammunition for such weapons may be carried without an approval from an Authority, provided they are stowed in a place on the aircraft which is inaccessible to passengers during flight and, in the case of firearms, unloaded.

**Editorial Note 1:** Operators must take all reasonable measures to ensure that any sporting weapons intended to be carried by air are reported to them and operators should describe the measures in place to make passengers aware of the need to furnish the operator with details of any sporting weapon they intend to carry. For aircraft without inaccessible compartments, carriage should be prohibited unless alternative effective procedures for stowing the weapons in a place that is inaccessible to passengers are established.

6.2.2. The passenger and operator (or his agent) must observe all regulations applicable to the export, import and transit of weapons and ammunition, applicable in the country of departure, transit and destination.

**Editorial Note 1:** Operators should consider all relevant legislation when formulating procedures for the carriage of weapons, munitions of war and sporting weapons.

## 7. DANGEROUS GOODS NOTIFICATION REQUIREMENTS

### 7.1. Information to be Provided by the Pilot-In-Command in the Event of an In-Flight Emergency

If an in-flight emergency occurs and the situation permits, the commander (PIC) must inform the appropriate Air Traffic Services Unit (ATSU), without delay of any dangerous goods on board. This information should include the proper shipping name, class/division, identified subsidiary risk(s), compatibility group for explosives, quantity and location on board.

**Editorial Note:** This information can be provided by the 'Emergency Response Guidance for Aircraft Incidents Involving Dangerous Goods' (Doc 9481), which is published by the International Civil Aviation Organization, or by another document giving similar information. Operators should establish what information is to be made available to flight crew onboard aircraft.

### 7.2. Information to be Provided by the Operator in the Event of an Aircraft Accident or Serious Incident Where Dangerous Goods Carried as Cargo may be Involved

If an aircraft carrying dangerous goods as cargo is involved in an accident or serious incident where the dangerous goods may be involved, the operator must provide information, without delay, to emergency services responding to the accident or serious incident about the dangerous goods on board, as shown on the copy of the information to the pilot-in-command (NOTOC). The information must be sufficient to enable any hazards created by the dangerous goods to be minimised and include the proper shipping name, UN number, class/division, any identified subsidiary risks, the compatibility group for explosives, the quantity and the location on board the aircraft. The operator must within 48 hours after such an accident or incident has occurred, provide a report to the SACAA Dangerous Goods Department by using the following email: [avsecpi@caa.co.za](mailto:avsecpi@caa.co.za)

### 7.3. Information to be Provided by the Operator in the Event of an Aircraft Incident

In the event of an aircraft incident, the operator of an aircraft carrying dangerous goods as cargo must, if requested to do so, provide information without delay to the emergency services responding to the incident and to the appropriate authority of the State in which the incident occurred, about the dangerous goods on board, as shown on the copy of the information to the pilot-in-command (NOTOC).

### 7.4. Dangerous Goods Accident and Incident Reporting (CAR Part92, 92.00.22)

#### 7.4.1. Definitions:

*Dangerous goods accident:* An occurrence associated with and related to the transport of dangerous goods by air which results in fatal or serious injury to a person or major property or environmental damage.

*Dangerous goods incident:* An occurrence other than a dangerous goods accident associated with and related to the transport of dangerous goods by air, not necessarily occurring on board an aircraft, which results in injury to a person, property or environmental damage, fire, breakage, spillage, leakage of fluid or radiation or other evidence that the integrity of the packaging has not been maintained. Any occurrence relating to the transport of dangerous goods which seriously jeopardises an aircraft or its occupants is also deemed to be a dangerous goods incident.

**Note:** A dangerous goods accident or incident may also constitute an aircraft accident or incident as specified in ICAO Annex 13 — Aircraft Accident and Incident Investigation.

#### 7.4.2. Dangerous Goods Accident and incident reporting both Declared and undeclared

(1) The operator of an aircraft, involved in a dangerous goods accident or dangerous goods incident within the Republic, shall within 48 hours after such accident or incident has occurred, notify –

(a) in the case of an accident, the Director, any ATSU or the nearest police station; or

(b) in the case of an incident, any ATSU, of such accident or incident, and such ATSU or police station, as the case may be, shall immediately on receipt of the notification, notify –

(i) the Director; and

(ii) where such accident or incident occurs at an aerodrome, the aerodrome.

(2) The operator of a South African aircraft involved in a dangerous goods accident or dangerous goods incident outside the Republic, must, as soon as practicable, notify –

(a) the appropriate authority of the State in territory where the accident or incident has occurred, directly or through any ATSU; and

(b) the Director, of such accident or incident.

**Note:** An operator must report to the State of the Operator and the State of Origin any occasion when:

- a. dangerous goods are discovered to have been carried when not correctly loaded, segregated, separated or secured.
- b. dangerous goods are discovered to have been carried without information having been provided to the pilot-in command (when required) or the information is inadequate.

An operator must report any occasion when undeclared or mis-declared dangerous goods are discovered in cargo or mail. Such a report must be made to the appropriate authorities of the State of the Operator and the State in which this occurred.

An operator must report any occasion when dangerous goods that are not permitted are discovered by the operator (or the operator is advised by the entity that discovers the dangerous goods) either in the baggage or on the person of passengers (after check-in) or crew members. Such a report must be made to the appropriate authority of the State in which this occurred.

In addition to the requirements of the ICAO Technical Instructions for the reporting of dangerous goods occurrences (above), the SACAA requires that **any incident** which endangers or which, if not corrected, would endanger an aircraft, its occupants or any other person is reported to the **Dangerous Goods Responsible person** designated as per requirements of **(CAR 92.00.30. (1))** such dangerous goods occurrences must be reported through the safety management system reporting of the operator:

- a. Dangerous goods found not to have been secured to prevent movement
- b. Damage to packages of dangerous goods
- c. NOTOC errors where dangerous goods have not been stowed in accordance with loading instructions
- d. Failure to prepare electric wheelchairs in order to prevent accidental activation
- e. Electric wheelchairs found not to have been stowed and secured correctly
- f. Leakage of dangerous goods from passenger baggage



The first and any subsequent report shall be as precise as possible and contain such of the following data that are relevant:

- a. Date of the incident or accident or the finding of undeclared or misdeclared dangerous goods.
  - b. Location, the flight number and flight date.
  - c. Description of the goods and the reference number of the air waybill, pouch, baggage tag, ticket, etc.
  - d. Proper shipping name (including the technical name, if appropriate) and UN/ID number, when known.
  - e. Class or division and any subsidiary risk.
  - f. Type of packaging, and the packaging specification marking on it.
  - g. Quantity of dangerous goods.
  - h. Name and address of the shipper, passenger, etc.
  - i. Any other relevant details.
  - j. Suspected cause of the incident or accident.
- a. Action taken.
  - b. Any other reporting action taken.
  - c. Name, title, address and telephone number of the person making the report.

Copies of relevant documents and any photographs taken should be attached to a report.

**NOTE: IF SAFE TO DO SO, THE DANGEROUS GOODS INVOLVED IN THE ACCIDENT OR INCIDENT SHOULD BE HELD PENDING CAA INVESTIGATION.**

**Note:** Operators should describe their procedures for reporting dangerous goods incidents, accidents and undeclared dangerous goods to the CAA. Where applicable, this information should be provided to handling agents so that, as a minimum, they are advised to whom events should be submitted (**CAR 92.00.30(1)**) places a direct legal duty upon a person who performs a function in respect of the ground handling of aircraft to report to the CAA any incident which endangers or which, if not corrected, would endanger an aircraft, its occupants or any other person).

### 7.4.3. Removal of Contamination

In the event of a spillage or leakage of dangerous goods within an aircraft, the position where the dangerous goods or ULD was stowed on the aircraft must be inspected for damage or contamination and any hazardous contamination removed. The hazard of the dangerous goods within packages concerned may be established by checking the entry on the NOTOC for that loading position or from hazard labels applied to the packages. The hazard classes and divisions of dangerous goods within a ULD may also be identified from the NOTOC or otherwise, should package labels not be visible, from the ULD tag bearing red hatchings applied to the outside of the ULD. Persons responding in the event of damage to or leakage of dangerous goods from packages must:

- a. identify the hazards and wear appropriate protective clothing;
- b. avoid handling the package or keep handling to a minimum;
- c. inspect adjacent packages for contamination and put aside any that may have been contaminated;
- d. arrange for decontamination of the aircraft and equipment; and
- e. in the case of infectious material, inform the appropriate public health authority or veterinary authority, and provide information to any other countries of transit where persons may have been exposed to danger; and notify the shipper and/or the consignee.

If it is evident that a package containing radioactive material is damaged or leaking, or if it is suspected that the package may have leaked or been damaged, access to the package must be restricted and a qualified person must, as soon as possible, assess the extent of contamination and the resultant radiation level of the package. The scope of the assessment must include the package, the aircraft, the adjacent loading and unloading areas and, if necessary, all other material which has been carried in the aircraft. When necessary, additional steps for the protection of persons, property and the environment must be taken in accordance with provisions established by the relevant competent authority, to overcome and minimise the consequences of such leakage or damage. An aeroplane which has been contaminated by radioactive materials must be immediately taken out of service and not returned until the radiation level at any accessible surface and the non-fixed contamination are not more than the values specified in the Technical Instructions. In the event of non-compliance with any limit in the Technical Instructions applicable to radiation level or contamination, the operator must ensure the shipper is informed if the non-compliance is identified during transport; take immediate steps to mitigate the consequences of the non-compliance; and communicate the non-compliance to the shipper and relevant competent Authority(ies), respectively, as soon as practicable and immediately whenever an emergency situation has developed or is developing.

## 8. HELICOPTER OPERATIONS

8.1. Due to the difference in the type of operations carried out by helicopters, there may be circumstances when the full provisions of these instructions are not appropriate or necessary, due to the operations involving unmanned sites, remote locations, mountainous areas or construction sites. In such circumstances and when appropriate, the State of the Operator may grant an approval in order to permit Dangerous Goods Carriage without the normal requirements of the Technical Instructions.

8.2. When Transporting Dangerous Goods with a Helicopter the following points must be taken into consideration:

- a) When loading dangerous goods for open external carriage by a helicopter, consideration should also be given to the type of packaging used and to the protection of packaging used and to the protection of those packagings from the effects of airflow and weather.
- b) When dangerous goods are carried suspended from a helicopter, the operator must ensure that consideration is given to the dangers of static discharge upon landing or release of the load.
- c) When helicopters are carrying passengers, in accordance with Part S-7; 2.2.4 of the Technical Instructions supplement, the State of the Operator may grant an approval to permit carriage of dangerous goods either:
  - i. In the cabin, when those dangerous goods are associated with and accompanied by the passengers; or
  - ii. In cargo compartments that do not meet the requirements of Part 7; 2.1.1

## 9. TRAINING

### 9.1. TRAINING SYLLABUS FOR TRANSPORT OF DANGEROUS GOODS

#### (OPERATIONS PERSONNEL INCLUDING CREW MEMBERS)

##### 9.1.1. Approval of Training Programmes (CAR Part 92.00.8)

*Insert Text* ['Operator XXX'] hold approval for training programmes in the carriage of dangerous goods by air in accordance with **CAR Part 92, 92.00.8 (7)**. This training is identified and described in the following text. Any substantive changes to this training (or proposals for sourcing training from an alternative external company) must be submitted to the Dangerous Goods Department of the CAA for the training approval to remain valid.

**Note 1:** Prior to outsourcing the provision of dangerous goods training, operators must establish that the proposed training materials are approved by the CAA.

**Note:** All training for Dangerous Goods within the Republic shall only be provided by a dangerous goods training organisation designated by SACAA in terms of Part 141.

### 9.1.2. General Requirements Applicable to Dangerous Goods Training Programmes

To ensure that everyone involved is aware of their responsibilities in the transport of dangerous goods, no matter whether such goods are carried as cargo or are in the possession of passengers, training must be given so that awareness is gained of the hazards associated with dangerous goods and how they should be dealt with in air transport. Personnel identified in the categories specified in Table 1-4 of the ICAO Technical Instructions (extract produced below) must be trained or training must be verified prior to the person performing any duty specified in Table 1-4.

Recurrent/refresher training must be provided within 24 months of previous training, calculated from last date of successful completion of the initial dangerous goods training or preceding refresher dangerous goods training, as the case maybe.

As with other aviation qualifications an offence against the regulations will be committed if staff continue to work after their training qualification has expired.

A test to verify understanding must be undertaken following training and confirmation that the test has been completed satisfactorily is required. The records of training must be retained by the employer for a minimum period of 5 years as prescribed under SACAR Part 141 and must be made available upon request to the employee or the appropriate national authority.

### 9.1.3. Dangerous Goods Training Syllabus

The areas to be covered for various categories of personnel are listed within the table below; the depth of training required for each area is dependent on the responsibilities of the individuals and varies from a general appreciation to in-depth knowledge so that decisions can be taken.

**Note:** The following table should be tailored to match the categories of personnel employed by the operator. Technical instructions Table 1-4 or IATA DGR Table 1.5.A

#### Extract from Table 1-4 of the ICAO Technical Instructions (Content of Training Courses)

	Categories of staff							
<i>Aspects of transport of dangerous goods by air with which they should be familiar, as a minimum</i>	1	2	6	7	8	9	10	11
General philosophy	X	X	X	X	X	X	X	X
Limitations	X		X	X	X	X	X	X
General requirements for shippers	X		X					
Classification	X	X	X					
List of dangerous goods	X	X	X				X	
Packing requirements	X	X	X					
Labelling and marking	X	X	X	X	X	X	X	X
Dangerous goods transport document and other relevant documentation	X		X	X				

Acceptance procedures						X		
Recognition of undeclared dangerous goods	X	X	X	X	X	X	X	X
Storage and loading procedures			X		X		X	
Pilots' notification			X		X		X	
Provisions for passengers and crew	X	X	X	X	X	X	X	X
Emergency procedures	X	X	X	X	X	X	X	X

**CATEGORY:**

- 1 - Shippers and persons undertaking the responsibilities of shippers.
- 2 - Packers.
- 6 - Operator's staff accepting dangerous goods.
- 7 - Operator's staff accepting cargo or mail (other than dangerous goods).
- 8 - Operator's staff involved in the handling, storage and loading of cargo or mail and baggage.
- 9 - Passenger-handling staff.
- 10 - Flight crew members, loadmasters, load planners and flight operations officer/flight dispatcher.
- 11 - Crew members (other than flight crew members).

**Note 1:** Depending on the responsibilities of the person, the aspects of training to be covered may vary from those shown in the table.

**Note 2:** The categories of personnel identified in Table 1-4 are not all-encompassing. Personnel employed by or interacting with the aviation industry in areas such as passenger and cargo reservation centres, and engineering and maintenance, except when acting in a capacity identified in Table 1-4, should be provided with dangerous goods training commensurate with their specific responsibilities. See ICAO Technical Instructions 4:2.1.

**9.1.4. Instructor Qualifications**

Instructors of initial and recurrent dangerous goods training programmes must have adequate instructional skills and have successfully completed a dangerous goods training programme in the applicable Category 6, prior to delivering such a dangerous goods training programme.

Instructors delivering initial and recurrent dangerous goods training programmes must successfully complete a category 6 refresher course within 24 months calculated from the date of completion of the initial course with an approved SACAA approved Aviation Training Organisation or IATA or ICAO.

**Note 1:** In addition to the above, operators should detail the experience and aptitudes considered appropriate for the selection of trainers.

**9.2. Identification of Training and Testing Materials**

**Note 1:** Operators should detail the dangerous goods training and testing materials that have been subjected to approval for each category of personnel, so that they may be readily identified by trainers. The titles and revision numbers of presentations, videos, study books, handouts, visual aids and tests to verify understanding should be included. Additionally, the mark required to achieve a pass and procedures to be applied in the event that personnel do not achieve or maintain the required standards must be established.




**Note 2:** Tests to verify understanding must be conducted in a controlled environment that prevents collaboration.

**9.3. Issuance of certificate (CAR 92.00.8 (5))**

Upon successful completion of the initial dangerous goods training or the refresher dangerous goods training, the dangerous goods training organisation concerned shall issue to the candidate a certificate in the handling of dangerous goods to be conveyed by air.

**9.4. Competency Cards (CAR 92.00.31)**

All personnel who have received training and are current in Dangerous Goods training shall be issued with a competency card and shall carry the card with them at all times while on duty

<b>DEVELOPED BY:</b>		
	THAMI ZEMBE	15 MAY 2017
<b>SIGNATURE OF MANAGER: DANGEROUS GOODS</b>	<b>NAME IN BLOCK LETTERS</b>	<b>DATE</b>
<b>REVIEWED &amp; VALIDATED BY:</b>		
	NICO SMIT	15 MAY 2017
<b>SIGNATURE OF SENIOR MANAGER: DANGEROUS GOODS &amp; CARGO SECURITY</b>	<b>NAME IN BLOCK LETTERS</b>	<b>DATE</b>
<b>APPROVED BY:</b>		
	LUVUYO GOEKE	15 MAY 2017
<b>SIGNATURE OF EXECUTIVE: AVSEC</b>	<b>NAME IN BLOCK LETTERS</b>	<b>DATE</b>

END